






REV.	DESCRIPTION OF CHANGE	REVIEWED BY	ISSUE DATE
A	FIRST ISSUE	LEO	2022-12-09
B	CRESCENT SHAPED FEET	JULY	2023-11-28





NOTES:

- MATERIAL:  
01 SFP TOP CAGE : COPPER ALLOY  
02 SFP BOTTOM CAGE : COPPER ALLOY
- FINISH  
SFP TOP CAGE : NI-PLATED OVER ALL  
SFP BOTTOM CAGE : NI-PLATED OVER ALL
- TEMPERATURE:  
OPERATION : -40°C TO +85°C  
STORAGE : -55°C TO +105°C
- PACKAGING: TAPE & REEL



TITLE SFP 1X1 CAGE WITH EMI SPRING FINHER			LINK-PP INT'L TECHNOLOGY CO., LIMITED			
PART NO. LP11ACS2000S			GENNERAL TOLERANCE		UNIT: MM	SIZE: A4
APPROVE JULY	CHECK Kevi n	DRAW Kevi n	.X±0.25 .XX±0.15 .XXX±0.10	.X±1° .XX±5°	SCALE: 1:1	SHEET: 1/4
					REV: B	

CROSS-HATCHED AREA DENOTES COMPONENT AND TRACE KEEP-OUT (EXCEPT CHASSIS GROUND)





RECOMMENDED PCB CONFIGURATION

NOTES:

- ① DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
- ② PADS AND VIAS ARE CHASSIS GROUND
- ③ THRU HOLES, PLATING OPTIONAL



TITLE SFP 1X1 CAGE WITH EMI SPRING FINHER			LINK-PP INT'L TECHNOLOGY CO., LIMITED			
PART NO. LP11ACS2000S			GENNERAL TOLERANCE		UNIT: MM	SIZE: A4
APPROVE	CHECK	DRAW	.X±0.25	.X±1°	SCALE: 1:1	SHEET: 2/4
JULY	Kevi n	Kevi n	.XX±0.15	.XX±5°		
			.XXX±0.10			



SECTION A-A



RECOMMENDED BEZEL DESIGN

NOTES:  
 △1 MINIMUM PITCH ILLUSTRATED, ENGLISH DIMENSIONS ARE FOR REFERENCE ONLY



TITLE SFP 1X1 CAGE WITH EMI SPRING FINHER			LINK-PP INT'L TECHNOLOGY CO., LIMITED			
PART NO. LP11ACS2000S			GENNERAL TOLERANCE		UNIT: MM	SIZE: A4
APPROVE	CHECK	DRAW	.X±0.25	.X±1°	SCALE: 1:1	SHEET: 3/4
JULY	Kevi n	Kevi n	.XX±0.15	.XX±5°		
			.XXX±0.10			

PACKAGE INFORMATION AND LABEL



PACKING QUANTITY : 150 PCS FINISHED GOODS PER REEL.  
 5 REEL (750 PCS FINISHED GOODS) PER CARTON BOX.



TITLE SFP 1X1 CAGE WITH EMI SPRING FINHER			LINK-PP INT'L TECHNOLOGY CO., LIMITED				
PART NO. LP11ACS2000S			GENNERAL TOLERANCE		UNIT: MM	SIZE: A4	
APPROVE	CHECK	DRAW	.X±0.25	.X±1°	SCALE: 1:1	SHEET: 4/4	
JULY	Kevi n	Kevi n	.XX±0.15	.XX±5°			REV: B
			.XXX±0.10				